

Vehicle Model: EV6

Model Year 2022~ Part No. CVF46 ACF10

Language English Rev. Date 11/23/2021

Accessory: Mudguards, Rear

Difficulty: (B)

Note: Difficulty stated above reflects the minimum level of expertise required to install the accessory:

(A) Customer

(B) Dealer Technician

(C) Master Technician or Specialist

Application Notes

Applies to GT and GT-Line Models Only

Instructional Symbols / Definitions

damage



Denotes warnings that may lead to serious physical injury or vehicle damage



Denotes quality processes to be checked prior to moving to the next step

Denotes specific tools that are necessary to





Denotes personal protective equipment (PPEs) that

may be required for a step. Examples of safety

equipment icons noted below:



Hearing Protection



Denotes cautions to be taken to avoid vehicle and component damage

Denotes cautions to be taken to avoid

physical injury or electronic component



Denotes important information to be reviewed during the step

complete a step


Basic Required Tools



Notes to the installer:

- 1) Read the entire Installation Instructions prior to beginning the installation of the part.
- Make sure the vehicle is completely clean and dry in the area(s) the part is to be installed.
- Ensure the vehicle is properly protected in the area(s) that the accessory is to be installed.
- NEVER place tools on painted surfaces, seating surfaces, dash pad, console or floor carpet/mats.
- Always wear appropriate personal protective equipment, including gloves, safety glasses, etc., when required.

Kit Overview





No.	Qty	Description
1	2	Rear Mudguard LH / RH
2	1	Hardware Bag
3	1	Installation Instructions


Hardware Kit Contents



Genuine Accessories








Make sure to push the mudguard upward and inward during the installation

to eliminate any possible gaps.



hardware and refit the mudguard(s) to the body to decrease or eliminate

the gaps.

Genuine Accessories

Visual Check

Item to be Checked	Result	
Make sure to push the Rear Mudguards upward and inward during the installation to eliminate any possible gaps.	Rear Mudguards are properly aligned.	
Check for any visible gaps. If any gaps exceed 0.5mm, loosen the mounting screws and refit the mudguard(s) to the body to decrease or eliminate the gaps.	Any visible gaps do not exceed 0.5mm.	

Result			
Rear Mudguards are properly aligned.			
Any visible gaps do not exceed 0 5mm			
Any visible gaps do not exceed 0.5mm.			